

Price List

DKK

Valid from 01.03.2025



2025-V1

Designed to work

giroflex
by Flokk

Content

General sales and delivery terms	3
General information	5
giroflex 10 Sit-Stand Stool	6
giroflex 313 Swivel Chair	7
giroflex 313 Conference Chair	8
giroflex 313 Spare parts	9
giroflex 40 Swivel Chair	10
giroflex 40 Spare parts	11
giroflex 353 Swivel Chair	12
giroflex 353 Spare parts	14
giroflex 64 Swivel Chair	16
giroflex 64 QUILT Swivel Chair - Special Collection	18
giroflex 64 Executive Chair	19
giroflex 64 Spare parts	21
giroflex 68 Swivel Chair	24
giroflex 68 Spare parts	26
Measurements - Office Range (1)	29
Measurements - Office Range (2)	30
Packaging measurements	31
Standard fabrics	36
Product specific fabrics	45
Extended Fabric & Colour Collection	47

General sales and delivery terms

This document applies for contracted distributors of Giroflex in Denmark (including Faroe Islands and Greenland).

Customer Service

Flokk A/S
Phone: +45 99 50 55 00
E-mail: info-dk@flokk.com
flokk.com

Standard delivery times from factory

(After order confirmation)

Standard fabric colours	15 working days
Extended fabric colours	>25 days working days*
Quick-ship	5-10 working days
On request	On request

Standard / extended colours according to separate Giroflex fabric overviews.

5 - 6 transport days to be added on top of production lead time.

* Provided available at suppliers stock.

Longer delivery times may occur periodically, during holidays and for large orders.

Order entry specification

Please specify the following information when placing an order for Giroflex products:

- Chair model
- Number of chairs
- Fabric/Leather and Colour Code
- Colour of base
- Type of castors or glides
- Delivery date
- Delivery address
- Project no. (if any)

Validity

Valid from 01.03.2025.

Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

Prices

All prices are recommended retail prices in DKK excl. VAT. Quotations are valid for 30 days unless otherwise agreed.

Any typographical errors shall not be binding for Flokk and will be subject to correction without liability to the vendor.

Models or prices subject to alterations, may change without prior notice.

Payment

Subject to local sales agreement. Interest charged for non-payment according to current terms. All goods remain the property of Flokk A/S until payment is made in full.

Conditions of Delivery

Ex Works (Incoterms 2020), including packaging. A 3% transportation & energy cost surcharge on the net order value will be applied to all orders with delivery terms agreed different from Ex Works.

Shipping fee of 5% of the net order value (min. DKK 250) is added on all orders, which is not delivered to addresses used or owned by the distributor.

Time specific delivery on a specific date and time indication costs DKK 5.000 per. order and must be ordered no later than five days before the sending date via Customer Service, Flokk A/S.

Visible transport damage and discrepancies in the number of items received must always be noted on the bill of carriage at the time of receipt and reported to the carrier and Customer Service, Flokk within 7 days after receipt.

Invisible damage (means no damaged packaging) must also be reported in writing to Customer Service, Flokk within 7 days after receipt.

For claims and transport damage you need to take photos and document the damage, before reporting in writing to Customer Service, Flokk.

Please document:

- Photo of Flokk product label (including order no.)
- Photo of damaged product goods
- Photo of damaged packaging (transport)
- Copy of transport document (if provided) or invoice
- Short description of claim

Change/cancellation of orders on chairs and upholsteries

Change/cancellation of orders on chairs or upholstery are possible up until production has begun. Changes made 2 days after receiving the order confirmation, each amended or cancelled order will incur a charge per order (see below).

Once production has started orders cannot be changed. Change of orders within the Quick-ship collection are not possible.

Each amended or cancelled order will incur a charge:

- Amended order (all changes & cancellations) before production start will incur a charge of 500 DKK per order
- Amended order & cancellations after purchasing has started will incur a charge of 750 DKK per order + cost of materials

For further information regarding change/cancellation of orders, please feel free to contact Customer Service, Flokk A/S.

General warranty - terms and conditions

Flokk's warranty covers Giroflex products against material and manufacturing faults and defects from the product's production date. The warranty covers any necessary spare parts. Labour and transport costs are not covered. Unless otherwise specified, the maximum weight for users of chairs is 110 kg. The warranty is conditional on the chair and fabrics/leather undergoing normal cleaning.

5 year warranty for Giroflex products

Flokk provides a 5 year warranty for all Giroflex products (3-years for 24/7 chairs) on construction, material and workmanship of our products, subject to appropriate handling. Wear and tear must be expected from normal use and are not covered by the warranty. The warranty for covering materials, pneumatic parts, castors and glides is limited to 2 years in any case. The information indicated on the label under the chair is determining for the guarantee period.

The warranty excludes COM (Customer's own material), impact damage and torn upholstery materials caused by careless handling, or normal wear and tear to covering materials, castors and glides.

No warranty is provided with regard to the identical colouring of materials and leather in the case of repeat orders, nor for CleanGuard treatments or damage in consequence of self-repairs.

IMPORTANT:

To ensure and protect the original functionality and design of Giroflex products, the use of non-original spare parts for repair or maintenance will void the general Giroflex warranty.

Note:

Materials may vary in shade. For complementary orders, even in the same material - such as fabric, plastic, or metal colour variations may occur compared to previous orders due to differences in dye baths or production processes.

Upholstery

When seated, the foam in the seat pad is compressed, which may cause small wrinkles to occur. This is normal for this type of product. Wrinkles will partially disappear when the chair is not in use.

Leather

Leather is a natural product. Grain, cracks and wrinkles are authentic proof of this material. These typical characteristics will not be accepted as grounds for complaint.

Wood

Wood is also a natural product. Natural features of wood will not be accepted as grounds for complaint.

Maintenance guide

Care of Fabric Upholstery: Regular vacuum cleaning is recommended. Marks and stains should be removed with a proprietary cleaner.

Care of Leather Upholstery: Wipe with a slightly damp cloth and gently rub dry. A good proprietary hide food should be applied at least once a year and more often if the leather is in a dry atmosphere or close to a heat source.

Care of gas stem: Gas stems should be periodically wiped clean with a cloth and general purpose solvent, then a fingertip of light grease applied.

For additional maintenance advice please contact Customer Service, Flokk A/S.

Standard Fabric & Colour Collection

Flokk provides a 5 year warranty for Giroflex chairs upholstered in fabrics/leather from the Giroflex Standard Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Flokk provides a 2 year warranty for Giroflex chairs upholstered in fabrics/leather from the Giroflex Standard Fabric & Colour Collection when the chair is in normal use for more than 9 hours per day.

Extended Fabric & Colour Collection

Flokk provides a 5 year warranty for Giroflex chairs upholstered in fabrics/leather from the Giroflex Extended Fabric & Colour Collection when the chair is in normal use for up to 9 hours per day. Some of the fabrics in the Giroflex Extended Fabric & Colour Collection are available with a 3 year warranty for 24 hour use (for use of more than 9 hours per day).

On request fabrics

If the fabrics in the Standard or Extended collections are not what you are looking for, please contact Customer Service, Flokk A/S. When choosing Special or Customer specified fabric/leather the general warranty terms and conditions are still valid, except for the upholstery which will be without any warranty. This does not affect your rights and obligations under local law. Customer specified fabrics/leather can only be used following approval by Flokk. Fabrics and leathers that are not tested on our products, need to have an upholstery test before we can approve it and the order can be registered. Cost (DKK 1.545) for testing will be charged.

The general warranty terms and conditions cover the chair against material and manufacturing faults, but not the upholstery.

Certifications & approvals

Flokk is ISO 9001 accredited. Giroflex chairs are tested in accordance with EN 1335. The German test institute TÜV and Intertek has approved and issued the GS certificate (Geprüfte Sicherheit) for many Giroflex chairs.

The following products are certified with the label GREENGUARD Gold

- giroflex 40
- giroflex 313
- giroflex 64

Please contact our Customer Service for further information.

In January 2024, Giroflex have the following EPD-certified product families, and will continue to expand our certification:

- giroflex 40
- giroflex 64
- giroflex 353 swivel
- giroflex 353 conference

Giroflex is continuously working with quality and sustainability certifications for our products.

Please advice our sustainability pages and product pages on Flokk.com for the latest updates about certifications.

DISCLAIM

Flokk disclaims any responsibility for products that are configured or assembled in a different way than Flokk's official configurations.

That is, as a result of component purchases, special orders or the like.

End of life - Recycling

We perform mono-material separation of all chairs that are no longer usable and pass the individual materials along for processing and recycling.

If you have questions on how to dispose or return your chair after use, please contact Customer Service.

Packaging material - Recycling

We encourage you to ensure proper recycling of your chair and its various components. Please sort and return the packaging material, using your local recycling partners/stations - and follow your local regulations.

If you have questions on how to handle waste packaging material, please inform your contact person within Flokk.

General information

EXTRA COSTS FOR SPECIAL SERVICES

(net. no rebate deductible)

Special metal colours and combinations		DKK
Special metal colours		On request
Combination choice outside given price-list standard	Order fee	500
	Surcharge per chair	100

Delivered cover materials (outside Giroflex collections)		DKK
Supplied customer's own fabric (PG 3)	Order fee fabric	500
	Order fee leather	500
Upholstery test of unknown cover materials	Unique fee	1545

Procurement to DDP supplier (address on request)

GIROFLEX QUICK-SHIP DELIVERY PROGRAM

The following selected chair models and configurations are available in the Quick-ship delivery program.

Delivery time 5-10 working days. (after order entry / transportation days must be added)

Changing / canceling orders from the Quick-ship collection is not possible.

Model		Armrests					Base		Fabric and colour		
	order number	without	fixed	2D plastic, Softpad	4D, plastic, Softpad	4D, aluminium, Softpad	Plastic	Aluminium	Xtreme black EXR009	Gaja black GA60999	Select black SC60999
giroflex 353	353-4029*	x		x	x		x		x	x	x
giroflex 64	64-3078	x				x		x	x	x	x
giroflex 64	64-3578	x				x		x	x	x	x

*Mesh back Runner black - RUN60999

Choice: castors for carpet or hard floors

Please note: to be able to provide this service to all customers, there is a limit of 10 chairs per customer per day.

For orders over 10 chairs, please contact our Customer Service tel: +45 99505500, email: info-dk@flokk.com.

Subject to holiday seasons and high production volume.

giroflex 10 Sit-Stand Stool

Standard configuration

Inclination angle 14°

Seat height adjustment 64 - 81 cm



Seat upholstered or integral foam

Column tube black

Foot disc aluminium powder coated in 810 black, 812 pearl-metallic or 813 alu-metallic

Rubber sole for hard and soft floors

Designed by Zemp + Partner Design, update by Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	Price
10-2020	giroflex 10-2020 sit-stand stool Seat upholstered		2 585	2 608	2 712	2 799	
10-3020	giroflex 10-3020 sit-stand stool Seat integral foam black						2 608
Accessories/Options/Surcharges:							
	Cone upholstered		1 252	1 265	1 316	1 379	
CL6003	CleanGuard seat (Only for: 10-2020)						174





option "Cone upholstered"

giroflex 313 Swivel Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39 - 51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 Type B // GREENGUARD Gold Certification
 German Design Award Winner 2017, Red Dot Award Winner 2017 / Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
313-4039	giroflex 313-4039 swivel chair Backrest mesh Runner		4 397	4 437	4 614	4 912	5 207	5 606	6 559	
313-4539	giroflex 313-4539 swivel chair Backrest upholstered		4 707	4 748	4 938	5 231	5 545	5 917	6 923	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									741
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									1 752
AR6019	Armrest fixed, aluminium polished, softpad black									2 301
FC6019	Seat and back frame aluminium polished									827
LI6045	Special seat height 49-65 cm									353
LI6050	Special seat height 52-69 cm									795
LI6070	Special seat height 57-74 cm									795
LI6090	Special seat height 64-81 cm									882
FR6001	Footring chromium plated, centre piece black, Ø 50 cm									962
FB6019	5-arm aluminium base polished									280
CL6003	CleanGuard seat (Only for: 313-4039)									174
CL6004	CleanGuard back/seat (Only for: 313-4539)									277



- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above

giroflex 313 Conference Chair

Standard configuration

Synchronised mechanism Balance Move with fully automatic weight adjustment
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height 45 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Back and seat support in aluminium 810 black, 812 pearl-metallic, 813 alu-metallic
 4-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 65mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 16139
 Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
313-4018	giroflex 313-4018 conference chair Backrest mesh Runner		4 196	4 234	4 403	4 717	5 000	5 403	6 321	
313-4518	giroflex 313-4518 conference chair Backrest upholstered		4 505	4 545	4 727	5 028	5 330	5 714	6 686	
Accessories/Options/Surcharges:										
AR6005	Armrest fixed , plastic black 810									741
AR6013	Armrest fixed, aluminium, powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), softpad black									1 752
AR6019	Armrest fixed, aluminium polished, softpad black									2 301
FC6019	Seat and back frame aluminium polished									827
LI6101	Column height adjustable									280
LI6102	Column auto-return									366
FB6049	4-arm aluminium base polished									280
CA6030	Plastic glides , metal shaft powder coated									387
CA6031	Glides with felt , metal shaft powder coated									387
CL6003	CleanGuard seat (Only for: 313-4018)									174
CL6004	CleanGuard back/seat (Only for: 313-4518)									277

- Option "auto return" requires glides instead of castors

giroflex 313 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	160
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	160
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	27

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	125
122287810	Glide to swivel chair with felt – Price per unit	133

Item no	Bases	Price
223488700	Aluminium BASE 7530 POLISHED	979
223488810	Aluminium base 7530 Powder coated 313, black	669
223488812	Aluminium BASE 7530 Powder coated 313, pearl-metallic	682
223488813	Aluminium BASE 7530 Powder coated 313, aluminium metallic	682

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	444
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	461

Item no	Armrests	Price
423463810	ARMREST RIGHT giroflex 313-4039	267
423462810	ARMREST LEFT giroflex 313-4039	267

Item no	Armrest-parts	Price
223504810	Insert M6 Long giroflex 313-4039	45
223505	Insert M6 Short, giroflex 313-4039	45
915144	Torx Pan Head Screw M6X20	10

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S31340	SEAT CUSHION, giroflex313-4039	787	794	826	1183	1254	2154	2521	
R31345	Back cushion, giroflex 313-4539	1403	1415	1472	1838	1947	3255	3808	
R313-4039	Mesh back, Complete Part								1065

Item no	Accessories	Price
815712710	Footring, 500 MM	1117


giroflex 40 Swivel Chair

Standard configuration

Synchronised mechanism
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner
 Seat height adjustment 37-51 cm
 Seat- and backrest-support aluminium powder coated in 810 black
 Seat depth adjustment 6 cm
 Seat inclination angle 0°/-3°
 Lumbar support, height adjustable
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3 // GREENGUARD Gold Certification
 Designed by Ito Design

Please note: Armrests cannot be added ore removed in a later stage.

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
40-4049	giroflex 40-4049		6 230	6 287	6 539	6 863	7 276	8 374	9 798	

Accessories/Options/Surcharges:

7ARMR022	Armrest 3D, black									2 103
	Headrest adjustable		711	717	746	783	830	956	1 118	
7ALCO006	Seat- and back-frame aluminium polished									252
7BASC013	5-arm aluminium base black									506
7BASC015	5-arm aluminium base polished									421
7TCAS028	Castors 65 mm for soft and hard floors									131
7TCAS024	Plastic glides									387
7TCAS025	Plastic glides with felt									387

giroflex 40 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors - Price per unit	125
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded - Price per unit	125
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded - Price per unit	27

Item no	Glides	Price
115142810	Glide to swivel chair - Price per unit	125
122287810	Glide to swivel chair with felt - Price per unit	133

Item no	Bases	Price
PBC431000009005	Base, Aluminium, black, giroflex 40	834
Z03112310	Base, Aluminium, Polished,	742
Z03112222	Base, Plastic, black	227

Item no	Columns/Gas lifts	Price
Z03112421	Gaslift Black, giroflex 40, 39-51cm black	120

Item no	Mechanism parts	Price
Z05111450	Screw for connecting backrest to Mechanism	6
Z03113361	Mechanism, black LP26	2150
Z04132849	Tension Lever, black, giroflex 40	32

Item no	Seat and back upholstered parts	Price
S40-4049	Seat, Mechanism + seat cushion preassembled.	3667
R40-4049	Backrest, giroflex 40	3414

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
Z12112258	Headrest Adaptor, giroflex 40								24
Z11111695	Headrest Cover, giroflex 40								13
KST40-4049	Headrest. Complete, giroflex 40	711	717	746	783	830	956	1118	


giroflex 353 Swivel Chair

Standard configuration

Synchronised mechanism Automatic Move
 Seat cushion with dual-zone seat profile
 Backrest mesh Runner or upholstered
 Seat height adjustment 39-51 cm
 Seat shell, back frame, back upholstery plate in plastic 810 black
 Seat depth adjustment 6 cm
 Backrest height adjustment 6 cm
 5-arm plastic base in 810 black
 Castors black Ø 50 mm, for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
353-4029	giroflex 353-4029 swivel chair Backrest mesh Runner		4 016	4 053	4 214	4 697	4 980	5 657	6 618	

353-4529	giroflex 353-4529 swivel chair Backrest upholstered		4 452	4 492	4 673	5 771	6 117	7 683	8 988	
----------	--	---	-------	-------	-------	-------	-------	-------	-------	--

Accessories/Options/Surcharges:

AR6005	Armrest fixed	538
AR6022	Armrest 2D, plastic support black, with softpad	873
AR6040	Armrest 4D, plastic support black, with softpad	1 152
AR6042	Armrest 4D, aluminium support polished, with softpad	1 733
AR6045	Armrest 4D-NPR, plastic support, with softpad	1 506
HR6001	Headrest adjustable fabric / skai@Palma	1 032
HR6002	Headrest adjustable mesh Runner (Only for: 353-4029)	1 032
AE6001	Coat hanger powder coated 810 black	752
SE6001	Seat 3D Move	860
ME6002	Seat tilt adjustable (forward tilt 4°)	411
LS6001	Lumbar support depth adjustable (Only for: 353-4529)	355
LI6012	Comfort column on standard seat height 39-51 cm	194
LI6025	Special seat height 41-55 cm	318
LI6035	Special seat height 46-62 cm	318
LI6045	Special seat height 49-65 cm	318
LI6060	Special seat height 55-72 cm	717

Accessories/Options/Surcharges:

LI6080	Special seat height 62-79 cm	882
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	962
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	387
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	131
CL6003	CleanGuard seat (Only for: 353-4029)	174
CL6004	CleanGuard back/seat (Only for: 353-4529)	277

- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 49-65 cm and above

giroflex 353 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	125
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	125
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	153
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	153
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	160
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	160
Z12112092	Castor. FI11 65 Hard for Soft floors, braking when unloaded – Price per unit	27

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	125
122287810	Glide to swivel chair with felt – Price per unit	133

Item no	Bases	Price
422614810	Plastic base 7130, Black	498
222615700	Aluminium Base 7030 Polished	1095
222615810	Aluminium Base 7030 Powder-coated, Black	498
222615812	Aluminium Base 7030 Powder-coated, Pearl metallic	1095
222615813	Aluminium Base 7030 Powder-coated, Aluminum metallic	1074

Item no	Columns/Gas lifts	Price
821050810	Column 34, 39-51cm, black	267
823017810	Column 34 Comfort, 39-51cm, black with cushion.	444
813877810	Column 22, special seat height 46-62cm	755

Item no	Mechanisms	Price
722621810	MECHANISM 520 Complete, giroflex 353	1887
722622810	MECHANISM 521 Complete, with negative tilt, giroflex 353	1462

Item no	Armrests	Price
622722810	Armrest pair.Fixed, Plastic.Structured, giroflex 353	675
622652810	2D-Armrest pair, in plastic, with Softpad	932
622728810	4D-Armrest pair, in plastic, with Softpad	1081
622656700	4D-Armrest pair, in Aluminium, with Softpad	1241
622658810	4D-Armrest pair in plastic, with Softpad. NPR standard.	1321

Item no	Armrest-sets	Price
624486810	2D-Armrest set, plastic Softpad, giroflex 353	1172
624487810	4D-Armrest set, plastic Softpad, giroflex 353	1325
624488700	4D-Armrest set, Aluminium Softpad, giroflex 353	1485

Item no	Armrest-parts	Price
923792	Eccentric lever M8X49.5	63
923814	Eccentric lever, 4D armrest, Aluminium Arm support.M8X42	63
923165	Plastic Thread-SCREW 6X20	10
224047	Hex nut, size SW17 M8	10
222662	ARMREST BRIDGE, giroflex 353-4029	90
422862810	ADAPTER for fixed ARMREST, giroflex 353	27

Item no	Seat and back plastic parts	Price
422617810	Seat shell, giroflex 353-4029	240
624276810	Backrest Preassembled, giroflex 353-40/4529	825

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S35301	Seat cushion, giroflex 353-40/4529	787	794	826	1183	1254	2154	2521	
S35303	Seat cushion, giroflex 353-4029 3D	2547	2569	2672	2806	2974	3449	4036	
R35301	Back cushion, giroflex 353-4529	1121	1131	1176	1554	1648	2442	2856	
R35302	Back cushion with Lumbar support, giroflex 353-45	1209	1220	1269	1333	1412	1640	1917	
R353-4029	Backrest Preassembled, giroflex 353-4029								1008

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
222683810	Coat Hanger, without headrest, powder coated, giroflex 353								488
222684810	Coat Hanger, with Headrest, powder coated, giroflex 353								531
NP3533	headrest.3D, Clean room, giroflex 353-4029								283
NP3531	Headrest cushion, giroflex 353	359	359	359	359	359	359	359	
KST353-4029	Headrest Complete, giroflex 353-4029	1051	1051	1051	1051	1051	1051	1051	
422673810	Cover for Headrest, giroflex 353								45
622670810	Headrest set without pillow, giroflex 353								488
815712710	Footring, 500 MM								1117




giroflex 64 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40-52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	①	②	③	④	⑤	⑥	⑦	Price
64-3078	giroflex 64-3078 swivel chair Standard seat width 45 cm Low back height 47-54 cm		6 428	6 487	6 746	7 538	7 991	8 577	10 034	
64-3578	giroflex 64-3578 swivel chair Standard seat width 45 cm Medium back height 55-62 cm		7 296	7 362	7 656	8 682	9 203	9 956	11 649	
64-4578	giroflex 64-4578 swivel chair Medium seat width 48.5 cm Medium back height 55-62 cm		7 717	7 787	8 099	9 117	9 664	10 396	12 162	
Accessories/Options/Surcharges:										
	Upholstered backshell (Only for: 64-3078)		696	703	730	767	814	943	1 082	
	Upholstered backrest (Only for: 64-3578, 64-4578)		702	708	736	773	819	950	1 110	
AR6005	Armrest fixed									915
AR6020	Armrest 1D, steel support									1 452
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									1 689
AR6039	Armrest 4D, aluminium support polished, with softpad									2 087
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									1 884
AT6001	Armrest pad fabric									537
AT6002	Armrest pad leather									774

Accessories/Options/Surcharges:

CMF	Comfort upholstery	926
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic (Only for: 64-3578, 64-4578)	667
LS6001	Lumbar support depth adjustable	604
ME6003	Increased back tilt resistance	1044
SD6002	Seat depth adjustment 5 cm (Only for: 64-4578)	247
PU6000	Push rod cover	131
LI6030	Special seat height 43-59 cm	318
LI6035	Special seat height 46-62 cm	318
LI6050	Special seat height 52-69 cm	717
LI6075	Special seat height 59-76 cm	882
LI6095	Special seat height 66-83 cm	882
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	962
FB6019	5-arm aluminium base polished	280
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	131
CL6004	CleanGuard back/seat	277
CL6005	CleanGuard back/seat/upolstered backshell	429

- skai®Palma and leather Natura: only in combination with option "comfort upholstery"
- Option "armrest pad fabric/leather": available for 1D and 4D armrests
- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52-69 cm and above


giroflex 64 QUILT Swivel Chair - Special Collection

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered
 Comfort upholstery
 Seat- and backshell in plastic 810 black
 Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 2.5 cm
 Backrest height adjustment 7 cm
 5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic
 Castors black Ø 50 mm for hard or soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3
 Designed by Walser Design / Paolo Fancelli

Please note that this product will be discontinued when fabrics our out of stock.

Item no	Base model +	Price Group (PG)	Price
64-3578-QUI	giroflex 64-3578-QUI swivel chair Standard seat width 45 cm Medium back height 55 - 62 cm		8 644

Accessories/Options/Surcharges:

AR6005	Armrest fixed	915
AR6030	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad	1 689
AR6039	Armrest 4D, aluminium support polished, with softpad	2 087
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	1 884
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	667
LS6001	Lumbar support depth adjustable	604
ME6003	Increased back tilt resistance	1 044
PU6000	Push rod cover	131
LI6030	Special seat height 43-59 cm	318
LI6035	Special seat height 46-62 cm	318
LI6050	Special seat height 52-69 cm	717
LI6075	Special seat height 59-76 cm	882
LI6095	Special seat height 66-83 cm	882
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	962
FB6019	5-arm aluminium base polished	280
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	131

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 Executive Chair

Standard configuration

Synchronised mechanism Organicmove

Seat cushion with dual-zone seat profile

Backrest upholstered

Comfort upholstery

Seat- and backshell in plastic 810 black

Mechanism 810 black, 812 pearl-metallic, 813 alu-metallic

Fixed armrest 810 black PUR pad with aluminium support in 810 black, 812 pearl-metallic, 813 alu-metallic

Seat height adjustment 40 - 52 cm

Seat depth adjustment 2.5 cm

Backrest height adjustment 7 cm




Push rod covering

5-arm aluminium base in 810 black, 812 pearl-metallic, 813 alu-metallic

Castors black Ø 50 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Walser Design / Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
64-9278	giroflex 64-9278 executive chair Wide seat width 51 cm High back height 60 - 67 cm		14 040	14 168	14 735	15 927	16 882	17 372	20 325	
64-9778	giroflex 64-9778 executive chair Wide seat width 51 cm High back height 60 - 67 cm Fixed headrest		15 505	15 646	16 272	17 403	18 448	19 053	22 291	
64-9878	giroflex 64-9878 executive chair Wide seat width 51 cm High back height 60 - 67 cm Height adjustable headrest		16 792	16 945	17 622	18 701	19 823	20 374	23 838	
Accessories/Options/Surcharges:										
	Upholstered backshell		701	707	735	772	818	949	1 109	
AR6019	Armrest fixed, aluminium polished, softpad black									400
AR6033	Armrest 4D, aluminium support powder coated (810 black, 812 pearl-metallic, 813 alu-metallic), with softpad									149
AR6039	Armrest 4D, aluminium support polished, with softpad									548
AR6055	Armrest 4D-NPR, aluminium support black, with softpad									344
AT6001	Armrest pad fabric									774

Accessories/Options/Surcharges:

AT6002	Armrest pad leather	1 044
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic	667
LS6001	Lumbar support depth adjustable	604
ME6003	Increased back tilt resistance	1 044
ME6019	Mechanism polished	2 582
LI6030	Special seat height 43-59 cm	318
LI6035	Special seat height 46-62 cm	318
LI6050	Special seat height 52-69 cm	717
LI6075	Special seat height 59-76 cm	882
LI6095	Special seat height 66-83 cm	882
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	962
FB6019	5-arm aluminium base polished	280
CA6012	Castors black, 65 mm, for hard or soft floors, braked unloaded	131
CL6004	CleanGuard back/seat	277
CL6005	CleanGuard back/seat/upolstered backshell	429

- Special seat height 65 cm and above: only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 52 - 69 cm and above

giroflex 64 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
115502810	Dual wheel castor. 50/18 Hard brake for soft floors – Price per unit	125
115503810	Dual Wheel Castor 50/18 Soft brake for hard floors.Brake when unloaded – Price per unit	125
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unitwith brake, Hard for soft floors. Brake when unloaded	141
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	141

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	125
122287810	Glide to swivel chair with felt – Price per unit	133

Item no	Bases	Price
213580700	Aluminium Base 7830.1 Polished	880
213580810	Aluminium BASE 7830.1 Powder-coated, black	657
213580812	Aluminium BASE 7830.1 Powder-coated, pearl-metallic	639
213580813	Aluminium BASE 7830.1 Powder-coated, aluminium metallic	657

Item no	Columns/Gas lifts	Price
823265810	Column 16, black, Standard seat height 40-51cm	444
823265700	Column 16, chromed, Standard seat height 40-51cm	551
813877810	Column 22, special seat height 46-62cm	755
812625810	Column 18, special seat height 52-69cm	903

Item no	Mechanisms	Price
713317810	Mechanism 200, black	4 199
713317812	Mechanism 200, pearl-metallic	4 199
713317813	Mechanism 200, aluminium metallic	4 199
713317700	Mechanism 200, polished aluminum	7 416
724426810	Mechanism 200 lumbar support, black	1 172
724426812	Mechanism 200 lumbar support, pearl-metallic	1 172
724426813	Mechanism 200 lumbar support, aluminium metallic	1 174
724426700	Mechanism 200 lumbar support, polished aluminum	1 172

Item no	Mechanism parts	Price
713322	Handle Right, tilt lock. Preassembled for mechanism. 200	100
713321	Handle Left,height adjustment. Preassembled for mechanism. 200	100
223352	Tension Lever, 200	160

Item no	Mechanism parts	Price
413103810	Turning knob, mechanism 200	36
414103810	Set of plastic Telescope-cover for gas lift, giroflex 64 and 60	178

Item no	Armrests	Price
413137810	Fixed armrest Left, giroflex 64-30/3578	531
413138810	Fixed armrest Right, giroflex 64-30/3578	531
614202810	4D-Armrest, Left Preassembled, black	965
614202812	4D-Armrest, Left Preassembled, pearl-metallic	965
614202813	4D-Armrest, Left Preassembled, aluminium metallic	965
614202700	4D-Armrest, Left Preassembled, polished aluminum	1186
614203810	4D-armrest, right preassembled, black	965
614203812	4D-armrest, right preassembled, pearl-metallic	965
614203813	4D-armrest, right preassembled, aluminium metallic	965
614203700	4D-armrest, right preassembled, polished aluminum	1186
620618810	4D-NPR standard, armrest right	709
213399810	Armrest Body, Left. giroflex 64-92/97, black	1065
213399812	Armrest Body, Left. giroflex 64-92/97, pearl-metallic	1065
213399813	Armrest Body, Left. giroflex 64-92/97, aluminium metallic	1065
213399700	Armrest Body, Left. giroflex 64-92/97, polished aluminum	1462
213400810	Armrest.Body, Right. giroflex 64-92/97, black	1892
213400812	Armrest.Body, Right. giroflex 64-92/97, pearl-metallic	1065
213400813	Armrest.Body, Right. giroflex 64-92/97, aluminium metallic	1065
213400700	Armrest.Body, Right. giroflex 64-92/97, polished aluminum	1462

Item no	Armrest-sets	Price
614131810	1D-Armrest set assembled for installation, giroflex 64, black	1658
614131812	1D-Armrest set assembled for installation, giroflex 64, pearl-metallic	1658
614131813	1D-Armrest set assembled for installation, giroflex 64, aluminium metallic	1658
624439810	4D-Armrest set assembled for installation with bridge, giroflex 64, black	2231
624439812	4D-Armrest set assembled for installation with bridge, giroflex 64, pearl-metallic	2231
624439813	4D-Armrest set assembled for installation with bridge, giroflex 64, aluminium metallic	2231
624439700	4D-Armrest set assembled for installation with bridge, giroflex 64, polished aluminum	2676
624441810	4D-NPR preassembled 64 armrest set, black	3170

Item no	Armrest-parts	Price
413204810	Armrest Top for 1D, giroflex 64-30/3578	100
413737810	Armpad with Foamed Top for 4D-Armrest, giroflex 64-30/3578	178
413401810	Armrest Top giroflex 64-92/97	1102

Item no	Seat and back plastic parts	Price
413127810	Seat shell, giroflex 64-30/3578	231

Item no	Seat and back plastic parts	Price
413388810	Seat shell giroflex 64-45/9278	284
413128810	Back shell, giroflex 64-3078	328
413129810	Back shell, giroflex 64-35/4578	390
413389810	Back shell, giroflex 60 and 64-92/9778	825
624173810	Back shell with Lumbar function, giroflex 64-3078	798
624174810	Back shell with Lumbar function, Preassembled, giroflex 64-35/4578	798
624175810	Back shell with Lumbar function, giroflex 60 and 64-92/9778	1241

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S64301	Seat Cushion, giroflex 64-30/3578	1048	1057	1099	1595	1691	1961	2294	
S64321	Seat Cushion, giroflex 64-30/3578 CMF	1383	1396	1451	1955	2072	2662	3115	
S64401	Seat Cushion, giroflex 64-40/4578	1141	1153	1198	1670	1771	2054	2403	
S64421	Seat Cushion, giroflex 64-4578 CMF	1497	1511	1572	2071	2195	2874	3362	
S64521	Seat Cushion, giroflex 64-92/9778	1707	1723	1792	2630	2788	3233	3783	
S64405	Seat Cushion, D.50MM, giroflex 64-4578	1214	1227	1275	1745	1850	2145	2510	
S64425	S-CUSH.D.50MM 64-4578 CMF	1571	1585	1649	2144	2273	2969	3474	
S64322	Seat Cushion, QUILT, giroflex 64-3578-QUI								2496
R64301	Back Cushion, giroflex 64-3078	1206	1216	1266	1723	1826	2118	2478	
R64302	Back Cushion, giroflex 64-3078-LAB		519	540					
R64321	Back Cushion, giroflex 64-3078 CMF	1592	1607	1670	2178	2309	3119	3648	
R64351	Back Cushion, giroflex 64-3578	1383	1396	1451	1912	2027	2351	2750	
R64371	Back Cushion, giroflex 64-3578 CMF	1834	1851	1925	2228	2362	3349	3917	
R64521	Back Cushion, giroflex 64-9278	2419	2442	2538	3434	3640	4373	5116	
R64-5778	Back Cushion, giroflex 64-9778	2419	2442	2447	3434	3640	4373	5116	
R64581	Back Cushion, giroflex 64-9878	2419	2442	2538	3434	3640	4373	5116	
R64372	Back Cushion, QUILT, giroflex 64-3578-QUI								1957
RS6430	Back shell, giroflex 64-3078	1494	1508	1568	1647	1745	2024	2367	
RS6435	Back shell, giroflex 64-35/4578	1585	1599	1663	1747	1852	2147	2513	
RS6452	Back shell, giroflex 64-9278	2485	2508	2608	2739	2903	3367	3940	

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
NP6457	Headrest CUSHION 64-9778	1353	1370	1431	1438	1453	1619	1891	
NP6458	Headrest CUSHION 64-9878	1869	1884	1959	2058	2179	2527	2957	
213304810	Coat Hanger, Complete. Powder Coated, giroflex 64-3578								781
815712710	Footring, 500 MM								1117


giroflex 68 Swivel Chair

Standard configuration

Synchronised mechanism Organicmove
 Seat cushion with dual-zone seat profile
 Backrest upholstered or mesh (Runner or Softtouch)
 Y-support and mechanism in 810 black, 812 pearl-metallic, 813 alu-metallic
 Seat height adjustment 40 - 52 cm
 Seat depth adjustment 5 cm
 Backrest height adjustment 7 cm
 5-arm plastic base in 810 black
 Castors black Ø 65 mm for hard and soft floors, braked unloaded

Certified in accordance to GS EN 1335-1/-2/-3

Designed by Paolo Fancelli

Item no	Base model +	Price Group (PG)	Price Group							Price
			①	②	③	④	⑤	⑥	⑦	
68-3509	giroflex 68-3509 swivel chair Backrest upholstered		5 368	5 417	5 633	6 529	6 921	8 172	9 561	

68-3519	giroflex 68-3519 swivel chair Backrest mesh (Runner or Softtouch)		6 348	6 405	6 661	7 256	7 691	8 048	9 417
---------	--	---	-------	-------	-------	-------	-------	-------	-------

Accessories/Options/Surcharges:

AR6005	Armrest fixed	882
AR6070/6072/6073	Armrest 3D, aluminium support 810 black, 812 pearl-metallic or 813 alu-metallic	1 611
AR6079	Armrest 3D, aluminium support polished	1 997
SPD6000	Softpad for armrest 3D	560
AR6050	Armrest 4D, aluminium support black, with softpad	1 634
AR6055	Armrest 4D-NPR, aluminium support black, with softpad	1 848
HR6001	Headrest adjustable fabric / skai®Palma	1 647
HR6002	Headrest adjustable mesh Runner (Only for: 68-3519)	1 647
HR6003	Headrest Leather	1 928
HR6019	Headrest support chromium plated	149
CMF	Comfort upholstery 68-3509	882
CMF	Comfort upholstery 68-3519	581
AE6010	Coat hanger powder coated 810 black, 812 pearl-metallic or 813 alu-metallic 68-3509	677
AE6010	Coat hanger powder coated 810 black, 812 pearl metallic or 813 alu-metallic 68-3519	786
LS6001	Lumbar support depth adjustable (Only for: 68-3509)	615
ME6002	Seat tilt adjustable (forward tilt 4°)	280

Accessories/Options/Surcharges:

ME6019	Mechanism polished	1 323
YS6019	Y-support polished 68-3509	560
YS6019	Y-support polished 68-3519	786
PU6000	Push rod cover	131
LI6025	Special seat height 41-55 cm	318
LI6035	Special seat height 46-62 cm	318
LI6055	Special seat height 54-70 cm	717
LI6075	Special seat height 59-76 cm	882
LI6095	Special seat height 66-83 cm	882
FR6001	Footring chromium plated, centre piece black, Ø 50 cm	962
FB6010	5-arm aluminium base 810 black, 812 pearl-metallic, 813 alu-metallic or polished	387
CL6003	CleanGuard seat (Only for: 68-3519)	174
CL6004	CleanGuard back/seat (Only for: 68-3509)	277

- skai®Palma and leather Natura: only in combination with option "comfort upholstery"
- Special seat height: requires an aluminium footbase. 65 cm and above only with glides or castors braked under load (no surcharge)
- Footring: possible as from special seat height 54-70 cm and above

giroflex 68 | Spare parts

We keep a large assortment of original spare parts in stock to expand the longevity of our products. If you need more information, please contact Customer Service .

The service department performs different types of Giroflex chair repairs, and upgrades with precision.

Get in touch, so we can find out how we can help repair current models or make older Giroflex chairs functional again with original spare parts .

Item no	Castors	Price
123327810	Castor 50/18 Hard Self-Brake under load, for higher seats – Price per unit	153
123328810	Castor 50/18 SOFT Self-Brake under load, for higher seats – Price per unit	153
123329810	Castor 65/18 Hard Self-Brake under load, for higher seats – Price per unit	160
123330810	Castor 65/18 SOFT Self-Brake under load, for higher seats – Price per unit	160
121469810	Dual wheel castor 65/18 Dual wheel castor 65/18 – Price per unitwith brake, Hard for soft floors. Brake when unloaded	141
121470810	Dual wheel castor 65/18 with brake, Soft for hard floors. Brake when unloaded– Price per unit	141
Z12112092	Castor. F111 65 Hard for Soft floors, braking when unloaded – Price per unit	27

Item no	Glides	Price
115142810	Glide to swivel chair – Price per unit	125
122287810	Glide to swivel chair with felt – Price per unit	133

Item no	Bases	Price
221813700	Aluminium base 9530 5-leg, polished	1 194
221813810	Aluminium base 9530 5-leg, Powder-coat, black	780
221813812	Aluminium base 9530 5-leg, Powder-coat, peral-metallic	780
221813813	Aluminium base 9530 5-leg, Powder-coat, aluminium metallic	780
421426810	Base, Plastic, black, 8830	541

Item no	Columns/Gas lifts	Price
822162810	Column/Gas lift Comfort, for seat height 39-51cm, black	444
823664700	Column/Gas lift Comfort, Chromed, for seat height 39-51cm, chrome	461
823053810	Column/Gas lift Comfort, for plastic base – seat height 39-51cm, black, giroflex 68	444
814954810	Telescope for Gas lift 175 MM, for special seat height 46-62 cm, giroflex 68	903
813877810	Column 22, special seat height 46-62cm	755

Item no	Mechanisms	Price
714796810	Mechanism 400, Preassembled, giroflex 68, black	3 828
714796812	Mechanism 400, Preassembled, giroflex 68, pearl-metallic	3 864
714796813	Mechanism 400, Preassembled, giroflex 68, aluminium metallic	3 864
714796701	Mechanism 400, Preassembled, giroflex 68, polished aluminum	4 861
714859810	Mechanism 401, Preassembled, giroflex 68, black	4 006
714859812	Mechanism 401, Preassembled, giroflex 68, pearl-metallic	4 045
714859813	Mechanism 401, Preassembled, giroflex 68, aluminium metallic	4 042
714859701	Mechanism 401, Preassembled, giroflex 68, polished aluminum	5 038

Item no	Mechanism parts	Price
414612810	Guide Below, giroflex 68	63
414518810	Guide Top, giroflex 68	63
215379	Leaf spring 3.2mm Mechanism 400	133
419488	Spring for mechanism 400	196
914823	COMPRESSION SPR.25.1X14.0X1.4	17
414632000	Lever to lock mechanism 400	63
414552810	Release button, back height adjustment, giroflex 68	63
414631810	Handle to lock mechanism, giroflex 68	27
414628810	Button to seat debth adjustment, giroflex 68	63
413988810	Turning Knob, mechanism 300/400	17

Item no	Armrests	Price
619406810	3D-Armrest Complete. Left Structured, black	1047
619406812	3D-Armrest Complete. Left Structured, pearl-metallic	1047
619406813	3D-Armrest Complete. Left Structured, aluminium metallic	1047
619406700	3D-Armrest Complete. Left Structured, polished aluminum	1278
619407810	3D-Armrest Complete. Right Structured , black	1047
619407812	3D-Armrest Complete. Right Structured, pearl-metallic	1047
619407813	3D-Armrest Complete. Right Structured, aluminium metallic	1047
619407700	3D-Armrest Complete. Right Structured, polished aluminum	1278
619613810	3D-Armrest Complete. Left, Softpad, black	1375
619613812	3D-Armrest Complete. Left, Softpad, pearl-metallic	1375
619613813	3D-Armrest Complete. Left, Softpad, aluminium metallic	1375
619613700	3D-Armrest Complete. Left, Softpad, polished aluminum	1606
619614810	3D-Armrest Complete. Right, Softpad, black	1375
619614812	3D-Armrest Complete. Right, Softpa, pearl-metallic	1375
619614813	3D-Armrest Complete. Right, Softpad, aluminium metallic	1375
619614700	3D-Armrest Complete. Right, Softpad, polished aluminum	1606
620617810	4D-NPR standard, armrest left	709
620618810	4D-NPR standard, armrest right	709
414768810	Fixed Armrest Y-support, left	531
414769810	Fixed Armrest Y-support, right	531

Item no	Armrest-sets	Price
624446810	3D-Armrestset preassembled., black	2702
624446812	3D-Armrestset preassembled, pearl-metallic	2702
624446813	3D-Armrestset preassembled, aluminium metallic	2703
624446700	3D-Armrestset preassembled, polished aluminum	3847
624447810	3D-Armrestset preassembled, Softpad, black	3087
624447812	3D-Armrestset preassembled, Softpad, pearl-metallic	3087

Item no	Armrest-sets	Price
624447813	3D-Armrestset preassembled, Softpad, aluminium metallic	3089
624447700	3D-Armrestset preassembled, Softpad, polished aluminum	4232
624450810	Fixed Armrestset preassembled.	1947
624448810	4D-Armrestset preassembled, black	2805

Item no	Armrest-parts	Price
618826810	3D-Armrest preassembled Left	365
618827810	3D-Armrest preassembled Right	365
418832810	Armpad, SoftPad for 2/3D-Armrest	328
418830810	Armpad, Structured 2/3D-Armrest	222
414614810	Insert Right 2/3D-Armrest	63
414770810	Fixed Armrest, Structured Top	133

Item no	Seat and back plastic parts	Price
414520810	Back shell	222
414531810	Seat Shell	133
624172810	Back shell with Lumbar Function, giroflex 68-3509	798

Item no	Seat and back upholstered parts	①	②	③	④	⑤	⑥	⑦	Price
S68351	Seat cushion, giroflex 68-3509	953	961	999	1310	1388	1610	1884	
S68371	Seat cushion, giroflex 68-3509 CMF	1258	1269	1320	1731	1835	2313	2705	
R68351	Back cushion, giroflex 68-3509	878	887	922	1278	1355	1573	1840	
R68352	Back cushion, with Lumbar Function, giroflex 68-35	878	887	922	1278	1355	1573	1840	
R68371	Back cushion, with comfort upholstery	1902	1920	1996	2095	2220	2576	3014	
R68372	Back cushion with comfort upholstery. With lumbar support	2252	2277	2367	2486	2635	3057	3576	
R68-3519	Backrest mesh preapplied. giroflex 68-3519								2084
R68-3619	Backrest mesh preapplied. Drilled. giroflex 68-3519								2150

Item no	Accessories	①	②	③	④	⑤	⑥	⑦	Price
KST68-3609	Headrest complete, giroflex 68-3509	1560	1575	1580	1719	1822	1994	2333	
KST68-3619	Headrest complete, giroflex 68-3519	2074	2093	2098	2285	2422	2652	3101	
NP68	NECKREST CUSH.68-3519	1417	1431	1487	1562	1656	1921	2247	
815712710	Footring, 500 MM								1117

Measurements - Office Range (1)

MEASURING POINTS



Seat height



Total height



Backrest height



Armrest height



Seat width



Total width



Backrest width



Seat depth

Measurements according to EN1335 tolerance +/- 5mm

Model			Seat height, loaded (cm)	Seat surface (cm)	Rubber sole diameter (cm)	Weight (kg)
giroflex 10	Sit-Stand Stool	10-2020	64-81	30	33	7.5
		10-3020	64-81	30	33	7.5

Model			Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)
giroflex 161	Visitor's Chair	161-6003	42	85	41	67	45	43	58	45				9.9
		161-6203	42	85	41	67	45	43	58	45				10.1
		161-6403	42	85	41	67	45	43	58	45				9.8
		161-6403-KNI	42	85	41	67	45	43	58	45				9.8
giroflex 313	Swivel Chair	313-4039	39-51	88-101	45		49	47	70	44	1-8	0-21	45-120	10.9
		313-4539	39-51	89-102	46		49	48	70	44	1-8	0-21	45-120	12.9
	Conference Chair	313-4018	45	94	45		49	47	70	44	0-3.7	0-13	45-120	9.7
		313-4518	45	95	46		49	48	70	44	0-3.7	0-13	45-120	10.8
giroflex 40	Swivel chair	40-4049	37.5-51.5	99.5-113.5	62	17-26	51	44.5	66	42-48	0-3	0-28	45-110	17.5

Measurements - Office Range (2)

Model		Seat height, loaded (cm)	Total height (cm)	Backrest height above seat (cm)	Armrest height above floor (cm)	Seat width (cm)	Backrest width (cm)	Total width (cm)	Seat depth (cm)	Seat-surface inclination angle (deg)	Backrest inclination angle (deg)	Mechanism - adjustm. range (kg)	Weight (standard config.) (kg)	
giroflex 353	Swivel Chair	353-4029	39-51	99-118	59-65		49	46	70	38-44		0-21	45-120	12.3
		353-4029-NPR	41-55	99-118	59-65		49	46	70	38-48	2-9	0-21	45-120	12.4
		353-4529	39-51	100-119	60-66		49	46	70	38-44		0-21	45-120	13.6
	Conference Chair	353-3018	39-51	89-101	46	63-75	47	46	70	43				9.8
		353-3518	39-51	90-102	47	63-75	47	47	70	43				10.4
	Visitor's Chair Cantilever	353-3003	44	92	46		47	46	52	43				8.4
		353-7003	44	92	46	67	47	46	64	43				9.2
		353-3503	44	93	47		47	47	52	43				8.9
		353-7503	44	93	47	67	47	47	64	43				9.7
	Visitor's Chair 4-legged	353-3004	44	93	46		47	46	53	43				6.5
		353-7004	44	93	46	67	47	46	64	43				7.3
		353-3504	44	94	47		47	47	53	43				7
		353-7504	44	94	47	67	47	47	64	43				7.8
	giroflex 434	Swivel Chair	434-3019	40-52	96-108	55		50	48	68	43		0-25	45-120
434-4019			40-52	102-114	61		50	48	68	43		0-25	45-120	15.4
Visitor's Chair		434-7013	42	86	39	66	49	57	57	44				10.5
		434-3003	42	88	43		47	53	53	45				8.5
giroflex 64	Swivel Chair	64-3078	40-52	92-111	47-54		45	43	66	41.5-44	0-12	0-24	45-120	17
		64-3578	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.4
		64-3578-QUI	40-52	100-119	55-62		45	43	66	41.5-44	0-12	0-24	45-120	17.8
		64-4578	40-52	100-119	55-62		48.5	43	66	41.5-44	0-12	0-24	45-120	17.7
	Executive Chair	64-9278	40-52	106-125	60-67		51	47	66	45-47.5	0-12	0-24	45-120	21.8
		64-9778	40-52	117-136	60-67		51	47	66	45-47.5	0-12	0-24	45-120	22.8
		64-9878	40-52	119-148	60-67		51	47	66	45-47.5	0-12	0-24	45-120	25.6
giroflex 68	Swivel Chair	68-3509	40-52	102-121	58-65		46	42	67	40-45	0-12	0-23	45-120	16.4
		68-3519	40-52	101-120	57-64		46	44	67	41-46	0-12	0-23	45-120	16.4

Packaging measurements

Changes from 18th of September 2023:

Giroflex will implement 100% recyclable boxes. It will be the possibility to order swivel chairs in fully, or semi-knocked down versions – depending on model.

This will become the standard option and has many benefits e.g. logistic flow emits less CO2, boxes take less storage and are easier to carry on.

Underneath you will see an overview of possible choices per model.

Model	Type	Configuration	Assembled in foil ¹		Assembled in box		Semi-knocked down		Fully knocked down	
			Possibility	Size (mm)	Possibility	Size (mm)	Possibility	Size (mm)	Possibility	Size (mm)
10-2020	Sit-stand Stools	All options	NO	380X340X720	YES	380X340X720	NO	n/a	NO	n/a
10-3020	Sit-stand Stools	All options	NO	380X340X720	YES	380X340X720	NO	n/a	NO	n/a
161-6003	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
161-6203	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
161-6403	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
161-6403-KNI	Conference	All options	NO	670x730x955	YES	670x730x955	NO	n/a	NO	n/a
313-4018	Swivel/Visitor	All options	YES	670x730x1160	YES	670x730x1160	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 39-51,49-65;52-69;57-74	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
313-4039	Swivel	Seat height 64-81	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a
313-4518	Swivel/Visitor	All options	YES	670x730x1160	YES	670x730x1160	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 39-51,49-65;52-69;57-74	YES	735x760x1115	YES	735x760x1115	YES	670x730x835	NO	n/a
313-4539	Swivel	Seat height 64-81	YES	735x760x1315	YES	735x760x1315	YES	670x730x835	NO	n/a

						Assembled in foil ¹		Assembled in box		Semi-knocked down		Fully knocked down	
								YES		NO		NO	n/a
353-3003	Conference	1pcs in Box	NO	YES	670x730x955	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3004	Conference	1pcs in Box	NO	YES	670x730x955	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3018	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	YES	YES	670x730x835	NO	n/a	NO	n/a
353-3018	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	YES	YES	670x730x835	NO	n/a	NO	n/a
353-3018-C2G	Swivel/Visitor	All options	NO	NO	n/a	NO	NO	NO	n/a	YES	680x680x440	YES	680x680x440
353-3503	Conference	1pcs in Box	NO	YES	670x730x955	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3504	Conference	1pcs in Box	NO	YES	670x730x955	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	NO	NO	n/a	NO	n/a	NO	n/a
353-3518	Swivel/Visitor	4arm base	YES	YES	670x730x1160	YES	YES	YES	670x730x835	NO	n/a	NO	n/a
353-3518	Swivel/Visitor	5arm base	YES	YES	670x730x955	YES	YES	YES	670x730x835	NO	n/a	NO	n/a
353-4029	Swivel	No headrest & Seat height 39-51:41-55;46-62;49-65	YES	YES	735x760x1115	YES	YES	NO	n/a	YES	735x720x480	YES	735x720x480
353-4029	Swivel	No headrest & Seat height 55-72:62-79	YES	YES	735x760x1315	YES	YES	NO	n/a	YES	735x720x480	YES	735x720x480
353-4029	Swivel	headrest & Seat height 39-51:41-55	YES	YES	735x760x1315	YES	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-4029	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-4029-NPR	Swivel	No headrest & Seat height 39-51:41-55;46-62	YES	YES	735x760x1115	YES	YES	NO	n/a	YES	735x720x480	YES	735x720x480
353-4029-NPR	Swivel	No headrest & Seat height 49-65;55-72;62-79	YES	YES	735x760x1315	YES	YES	NO	n/a	YES	735x720x480	YES	735x720x480
353-4029-NPR	Swivel	headrest & Seat height 39-51:41-55	YES	YES	735x760x1315	YES	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-4029-NPR	Swivel	headrest & Seat height 41-55;46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	YES	YES	670x730x1160	NO	n/a	NO	n/a
353-4529	Swivel	No headrest & Seat height 39-51:41-55;46-62;49-65	YES	YES	735x760x1115	YES	YES	NO	n/a	YES	735x720x480	YES	735x720x480
353-4529	Swivel	No headrest & Seat height 55-72:62-79	YES	YES	735x760x1315	YES	YES	NO	n/a	YES	735x720x480	YES	735x720x480
353-4529	Swivel	headrest & Seat height 39-51:41-55;	YES	YES	735x760x1315	YES	YES	YES	670x730x835	NO	n/a	NO	n/a

353-4529	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-4529-LAB	Swivel	No headrest & Seat height 39-51;41-55;46-62;49-65	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	No headrest & Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
353-4529-LAB	Swivel	headrest & Seat height 46-62;49-65;55-72;62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
353-7003	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7003	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7004	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7004	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7503	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7503	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
353-7504	Conference	1pcs in Box	NO	YES	670x730x955	NO	n/a	NO	n/a
353-7504	Conference	2pcs in Box	NO	YES	670x730x1160	NO	n/a	NO	n/a
40-4049	Swivel	Without headrest	YES	YES	735x760x1115	YES	670x730x955	NO	n/a
40-4049	Swivel	With Headrest	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
434-3003	Conference	All options	NO	YES	670x730x1160	NO	n/a	NO	n/a
434-3019	Swivel	Seat height 40-52;43-59;46-62; 52-69	YES	YES	735x760x1115	NO	n/a	YES	735x720x480
434-3019	Swivel	Seat height;59-76; 66-83	YES	YES	735x760x1315	NO	n/a	YES	735x720x480
434-3019-C2G	Swivel	All options	NO	NO	n/a	NO	n/a	YES	680x680x440
434-4019	Swivel	Seat height 40-52;43-59;46-62	YES	YES	735x760x1115	NO	n/a	YES	815x720x515
434-4019	Swivel	Seat height 55-72;62-79	YES	YES	735x760x1315	NO	n/a	YES	815x720x515
434-7013	Conference	All options	NO	YES	670x730x955	NO	n/a	NO	n/a
434-7929	Swivel	All options	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 40-52;41-55;46-62;49-65	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
545-4529	Swivel	No headrest & Seat height 55-72; 59-76; 62-79	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
545-4529	Swivel	headrest & Seat height 40-52;41-55;46-62;55-72;49-65	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a

545-4529	Swivel	Headrest & Seat height 59-76; 62-79	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
60-9229-24H	Swivel	Seat height 40-52,43-59	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 46-62,52-69; 59-76	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9229-24H	Swivel	Seat height 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 40-52,43-59; 46-62	YES	YES	735x760x1315	YES	670x730x955	NO	n/a
60-9829-24H	Swivel	Headrest & Seat height 52-69;59-76; 66-83	YES	YES	735x760x1315	YES	670x730x955	NO	n/a
64-3078	Swivel	Seat height 40-52,43-59;46-62; 52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 40-52,43-59;46-62; 52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3078-LAB	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 39-51,40-52;43-59;46-59;47-65;52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-LAB	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-3578-QUI	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 39-51,40-52;43-59;46-59;47-65;52-69	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4080	Swivel	Seat height 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 40-52,43-59;46-62	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-4578	Swivel	Seat height 52-69; 59-76; 66-83	YES	YES	735x760x1315	YES	670x730x835	NO	n/a

64-9278	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278	Swivel	Seat height 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
64-9278-24H	Swivel	Seat height 40-52,43-59	YES	YES	YES	735x760x1115	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 46-62;52-69; 59-76	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9278-24H	Swivel	Seat height 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9778	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 40-52,43-59; 46-62;52-69;	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
64-9878-24H	Swivel	Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3509	Swivel	No headrest & Seat height 40-52,41-55;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3509	Swivel	No headrest & Seat height 54-70; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3509	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3509	Swivel	headrest & Seat height 59-76; 66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a
68-3519	Swivel	No headrest & Seat height 40-52,43-59;46-62	YES	YES	YES	735x760x1115	YES	670x730x835	NO	n/a
68-3519	Swivel	No headrest & Seat height 52-69; 59-76; 66-83	YES	YES	YES	735x760x1315	YES	670x730x835	NO	n/a
68-3519	Swivel	headrest & Seat height 40-52,41-55;46-62;54-70	YES	YES	YES	735x760x1315	YES	670x730x1160	NO	n/a
68-3519	Swivel	headrest & Seat height 59-76;66-83	YES	NO	YES	n/a	YES	670x730x1160	NO	n/a

1 Option "Assembled in foil" only available in Switzerland, Germany, France and Benelux

Standard fabrics

Delivery times for standard and extended colour range:

This is the Giroflex standard selection of textiles and colours. All fabrics and leather in our Standard collection are of excellent quality and come from renowned suppliers we choose to collaborate with.

Normal delivery time for Giroflex' Standard fabric collection is 15 days from factory.

The guarantee requires that routine cleaning is performed on the chair and textile/leather.

Maintenance:

To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

Other colours than listed here are in our Extended colour collection and might fall into a different price group. Please note that colours shown in these illustrations may vary from the actual colours. Please contact your local Giroflex supplier to view a sample.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

CURA (GABRIEL) - PRICE GROUP 1

Cura is a two-coloured fabric made from 98% post-consumer recycled polyester. It has a matt, slightly irregular and natural-looking texture where the dark, underlying grey fibers create a discreet yet vibrant melange effect. High durability and stretchability and its soft, voluminous touch make Cura suitable for both office and lounge furniture.

Composition: 100% post-consumer recycled polyester

Weight: 420 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, CA TB 117-2013, ASTM E 84 Class I

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Contains no Flame Retardant chemicals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash or dry cleaning, Can be disinfected with ethanol and is bleach-cleanable (For further info follow Gabriel 's cleaning guidelines - www.gabriel.dk)



CU60999

CU66165

CU60109

CU60110

XTREME (CAMIRA) - PRICE GROUP 1

Xtreme is a crepe fabric made from 100% post-consumer recycled polyester that features exceptional Euro flammability performance. Extra stretch and structure gives an irregular, shiny finish.

Composition: 100% post-consumer recycled polyester

Weight: 310 g/m²

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low & Medium Hazard, BS 5852 Section 4 Crib 5, DIN 4102 B1, UNI 9175 Class 1 IM, NF D 60-013

Light fastness: 6 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60 °C and bleach cleanable (For further info follow Camira's cleaning guidelines - www.camirafabrics.com)



EXR009

EXR026

EXR046

EXR081

EXR145

RUNNER - PRICE GROUP 2

Runner is a robust yet soft mesh quality with an airy and comfortable feel. With its self-supporting properties and stability it offers a high level of comfort in use. It is made of a mix of polyester and post-consumer recycled polyester. The three-dimensional structure combine an irregular surface pattern in a semi-transparent texture on a dense bottom layer. The palette of monochrome colours in clear but soft hues add a refined and sporty look to the furniture.

Composition: 80% polyester, 20% post-consumer recycled polyester

Weight: 510 g/lm

Abrasion resistance: 70000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), CA TB 117-2013, Class Uno 9175 Class 2 I EMME,

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals and harmful chemicals, ISO 14001 certified company

Design: Inger Mosholt Nielsen, Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Wash orl dry cleaning (For further info follow Gabriel´s cleaning guidelines_www.gabriel.dk



SELECT (GABRIEL) - PRICE GROUP 2

Select is a classic woolen fabric with a tightly woven relief structure, combining excellent softness, stretch and durability. Its rich texture with the interplay of light and shadow add depth in all the colours in the palette.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2, BS 5852 0&1, BS5852 Crib 5, CA TB 117-2013, IMO MSC 307(88) Annex 1 part 8/MED registration IMO

Light fastness: 5-8 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



SKAI PALMA - PRICE GROUP 2

Skai Palma is a synthetic leather made of PVC. The surface is embossed with a leather grain structure with a smooth touch. It is easy cleanable on a regular basis.

Composition: 89% PVC-Compound, 11% CO/PES-knitted fabric

Weight: 825 +/- 50 g/m²

Thickness: 1,3 +/- 0,2mm

Abrasion resistance: 100 000 Martindale (EN ISO 5470-2)

Flammability: DIN 4102 (part 1, B2), NF M2, BS5852 IS-0&1, EN 1021-1+2, MVSS302, FAR 25.853, ÖNORM B3825, ÖNORM A 3800-1 Q1, UNI 9175/87 (1.IM)


Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: Fulfills REACH requirements, ISO 14001 certified company

Produced in: Germany

Cleaning & disinfection: For Cleaning and disinfection follow Skai's cleaning guidelines www.skai.com)



PLM701

CAPTURE (GABRIEL) - PRICE GROUP 3

Capture is a lightly felted and multi-coloured wool fabric combining softness, stretch and strenght. It fuses light and dark colours to a refined melange pattern in subtle nuances, which add richness and depth to the design.

Composition: 85% New Zealand wool, 15% polyamide

Abrasion resistance: 200.000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0,1 (Cigarette & match), CA TB 117-2013, Class Uno UNI 9175 Class 1 IM

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN-ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company


Design: Cenk Kivrikoglu

Produced in: Lithuania


Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)




CPT4102




CPT4301




CPT4401




CPT4601




CPT5101



CPT5103




CPT5501



CPT6001



CPT6401



CPT6601

FOCUS (GABRIEL) - PRICE GROUP 3

Focus is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK, AM 18 - NF D 60-013-(only for fabric)

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FC60999

FC61042

FC61039

FC61036

FOCUS MELANGE (GABRIEL) - PRICE GROUP 3

Focus Melange is a woven felt fabric made of 100% long-staple worsted wool. It has an ultra soft and satiny touch combined with high strength obtained by use of high-quality worsted wool yarn and careful production processes. In addition to high durability, the fabric does not pill and will remain attractive over time regardless of wear and tear. The equal thickness between the warp and weft yarn give a harmonious and symmetric melange colour expression.

Composition: 100% New Zealand wool

Weight: 660 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Part 1 0.1 Cigarette and match, CA TB 117-2013, Class Uno UNI 9175 Class 1 I EMME, ÖNORM A33800-B1-B33825-Q1UK

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals and harmful chemicals, biodegradable, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Inger Mosholt Nielsen, colours Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel´s cleaning guidelines – www.gabriel.dk)



FCM68247

FCM61240

FCM60900

FCM60310

FCM60308

GAJA CLASSIC (GABRIEL) - PRICE GROUP 3

A classic cr pe structured fabric in pure new wool. Finishing treatment gives a soft surface. It has a wide colour range in both subdued and strong colours.

Composition: 100% pure new wool

Weight: 530 g/lm

Abrasion resistance: 50 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, Calif. Bull. 117-2013, IMO A.652 (16), UNI 9175 Class 1 IM, BS 476 Part 7 Class 1 I

Light fastness: 5-7 (EN ISO 105-B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Free of heavy metals, Oeko-Tex® Standard 100, ISO 14001 certified company

Design: Dorte Bo Bojesen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines - www.gabriel.dk)



GA60019

GA60999

GA64089

GA66004

GA66005

GA60003

GRANO (JAB/CLIMATEX) - PRICE GROUP 3

Grano is a durable tightly woven fabric in a specially designed mix of natural and synthetic fibers, specially constructed to be recycled easily. It has a two-toned pattern with a textured feel.

Composition: 69 % Cradura™, PA, 18 % Certified Virgin Wool (WV), 13 % Redesigned Lenzing FR™, CV FR

Weight: 465 g/lfm

Abrasion resistance: 465'000 Martindale, EN ISO 12947-2

Flammability: EN 1021-1/2, BS 5852-0/1, IMO Resolution MSC 307 (88) Annex 1, Part 8, California TB 117, Class 1, NFPA 260

Light fastness: 6, EN ISO 105-B02


Rubbing fastness: 4/4-5 (Wet/Dry) (EN ISO 105-X12)

Pilling: 5 (EN ISO 12945-2)

Environmental facts: Oeko-Tex® Standard 100, 100% Free of heavy metals, Cradle to Cradle Certified™ Silver, recyclable.

Designed by: Climatex Design team

Produced in: Germany



GRO099

GRO094

GRO092

GRO051

OCEANIC (CAMIRA) - PRICE GROUP 3

Oceanic is made from 100 % post-consumer recycled polyester yarn where 90% are created from post-consumer plastic bottles diverted from landfill and 10% is upcycled marine plastic(from marine litter). It is a fabric born out of the SEAQUAL Initiative designed to combat marine plastic pollution and achieve a waste free environment. Oceanic has a two coloured diagonal structure with a matte surface and soft touch.

Composition: 100 % post-consumer recycled polyester, including 50% SEAQUAL yarn

Weight: 497 g/m² ±5%

Abrasion resistance: >100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 7176 Low, BS 7176 Medium Hazard with EnviroFlam5, CA TB 117-2013

Light fastness: 5 (EN ISO 105 - B02: 2013)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, Indoor Advantage™ "Gold", non metallic dyestuffs, ISO 14001 certified company.

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable at 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)



OCI001

OCI008

OCI011

OCI012

OCI014

STEP (GABRIEL) - PRICE GROUP 3

Step is unique in both texture and performance. With its delicate surface, Step is perceived as vivid and interesting. The texture with the fire-resistant Trevira CS yarn ensures that the fabric is suited for use in environments with high fire safety and durability requirements.

Composition: 100% Trevira CS

Weight: 336 g/m²

Composition: 100% Trevira cs

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4-5 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Inger Mosholt Nielsen

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



SE64159

SE60999

SE60011

SE64013

SE67004

STEP MELANGE (GABRIEL) - PRICE GROUP 3

Step Melange is woven in Trevira CS, an extremely hard-wearing fire-resistant material. With its simple, discreet and heathered structure, Step Melange can be combined in numerous ways, not least with its unicoloured partner Step.

Composition: 100% Trevira cs

Weight: 336 g/m²

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1&2 (Cigarette & match), BS 5852 0&1 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, MED Certificate IMO, Class Uno UNI 9175 Class 1 EMME, ÖNORM B3825, ÖNORM 3800-1q1

Light fastness: 5-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals, ISO 14001 certified company

Design: Cenk Kivrikoglu

Produced in: Lithuania

Cleaning: Professional dry cleaning (For further info follow Gabriel's cleaning guidelines www.gabriel.dk)



STM67004

STM64159

STM66018

STM60011

STEELCUT 3 (KVADRAT) - PRICE GROUP 4

Steelcut 3 is a unicoloured strong worsted wool and polyamide woven fabric, combining durability, soft touch and colour depth. The construction creates a three-dimensional surface resembling small pyramids or steel points. Despite its complex weaving technique, it has a simple and precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 825 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, ASTM E84 Class A Unadhered, ASTM 84 Class B Adhered

Light fastness: 5 6 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 3-4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines - www.kvadrat.dk)



STT190

STT655

STEELCUT TRIO 3 (KVADRAT) - PRICE GROUP 4

Steelcut Trio 3 is a strong worsted wool and polyamide woven fabric, made with three different coloured yarns. The colours and the special weave create a three-dimensional surface where the colours seem to change depending on the angle of perspective. Like Steelcut 3, despite the complexity of the textile's innovative weave, it has a simple, precise expression.

Composition: 90% worsted new wool, 10% polyamide

Weight: 770 g/lm

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021: 1-2 (Cigarette & match, CA TB 117-2013, BS 5852 Crib 5 (with treatment), BS 5852 part 1, BS 5852 ignition source 3, IMO FTP Code 2010 Part 8, NF D 60 013, NFPA 260, UNI 9175 1IM, ÖNORM B1/Q1, AS/NZS 3837 Class 2, GB 50222 B1 with treatment (Chinese)

Light fastness: 6-7 (EN ISO 105-B02)

Rubbing fastness: 3-5/4-5 (Wet/Dry) (EN ISO 105X12)


Pilling: 4 (EN ISO 12945-2)

Environmental facts: EU Ecolabel, 100% free of heavy metals, ISO 14001 certified company, GREENGUARD Gold

Design: Frans Dijkmeijer, Giulio Ridolfo (updated colourways)

Produced in: United Kingdom

Cleaning: Professional dry cleaning with tetrachloroethylene, normal process (For further info follow Kvadrat's cleaning guidelines - www.kvadrat.dk)



PALOMA SOFT (WOLLSDORF) - PRICE GROUP 6

High quality semi-aniline leather. All our standard colours from Paloma have a special finish adding a particular softness to the leather. Excellent friction and breathing properties. The surface may feature small scars and marks resulting from insect bites etc. These are proof of the natural origin of the product and are part of its character.

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, IMO A.652 (16)

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 -Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: 2,0 N/cm ISO 11644


Tear-strength: 20 N/mm DIN 53329- A

Environmental facts: Tanned without using chromium salts, BlueAngel, ECO2L-certificate, ISO 14001 certified company

Produced in: Austria

Animal Welfare: All hides are by-products from the meat and dairy industries, only use hides from healthy and uninjured animal. Following European standards as a minimum and the "Five Freedoms" of livestock as defined by FAWC (Farm Animal Welfare Council)

Cleaning: Follow the leather care guide from our supplier - www.wollsdorf.com



ELMOSOFT (ELMO) - PRICE GROUP 7

Elmosoft is a chrome free supreme quality semi-aniline grain leather from Scandinavian cattle. It is soft and pliable with an outstanding comfort and durability. Visible insect-bites and scars from healed wounds add to the authentic quality and character of the leather.

Thickness: 1.1 - 1.3 mm

Flammability: BS EN 1021: 1-2 (Cigarette & match), BS 5852 Crib 5, CA TB 117-2013, DIN 4102 -1 (B1), IMO 2010 FTP Code Part 8 (IMO652), UNI 9175, Önorm B 3825, UNI 9175

Light fastness: 6 (EN ISO 105-B02)

Rubbing: Wet 80/4 - Dry 2000/4 - Sweat 50/4 - ISO 11640

Finish-adhesion: ≥ 2 N/cm - ISO 11644

Tear-strength: ≥ 20 N/cm DIN 53329-A

Environmental facts: Free of heavy metals, tanned without using chromium salts, ISO 14001 certified company, Clean water tanning technology with biological Water Treatment Plant and 100% CO2 neutral on energy.

Animal Welfare: All hides are by-products from the meat and dairy industries with traceability back to the farm. Following strict regulations on animal welfare in compliance with national and international standards as those issued by the World Organization for Animal Health (6 animal welfare freedoms)

Produced in: Sweden

Cleaning: (Follow the guidelines by our supplier – www.elmoleather.com)



EL99999



EL93068



EL33004

Product specific fabrics

This is Giroflex selection of special textiles for certain products.

Maintenance: To maintain fabrics and leather, please vacuum with a furniture brush or use a clean cloth or sponge slightly dampened with clean lukewarm water.

NOTE! Colours on screen or in print might differ from reality. Other colours than listed here are in our Extended colour collection and might fall into a different price group.

STRONG (JAB/CLIMATEX) - PRICE GROUP 3

Strong is a durable 24/7 fabric with a specially designed and constructed mix of natural and syntehtic fibers. Its honeycomb pattern creates depth and texture with a smothh touch.

Composition: 72% Cradura™ (PA), 16% Certified virgin wool (WV), 12% redesigned Lenzing FR™

Weight: 415 g/lm

Abrasion resistance: 500 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021-1/2, BS 5852-0/1, CA TB 117-2013

Light fastness: 6-7 (EN ISO 105 - B02)

Rubbing fastness: 4-5/4-5 (Wet/Dry) (EN ISO 105X12)

Pilling: 4 (EN ISO 12945-2)


Perspiration fastness: 5/5 (alcaline/acid) (EN ISO 105-E04)

Environmental facts: Cradle to Cradle Certified™ silver, Oeko-Tex® Standard 100, recyclable

Design: Climatex Design team

Produced in: Germany

For giroflex 60 and giroflex 64- 24h chairs



STO099

SYNERGY QUILT HOURGLASS (CAMIRA) - PRICE GROUP OD*

Synergy Quilt is a wide width, quilted version of our soft-handle wool blend fabric, Synergy. Foam backing and wadding form the density of the quilt, with lighter shades being stitched in white thread and darker shades stitched in black thread, to create Channel, Chevron or Hourglass patterns.

Composition: 95% pure new wool, 5% nylon with polyester and polyurethane foam backing

Weight: 700 g/m2 ±10%

Abrasion resistance: 100 000 Martindale (EN ISO 12947-2)

Flammability: California Technical Bulletin 117 - 2013, CA TB 117-2013, NFPA 260 + UFAC Class 1, BS 7176 Low Hazard, ASTM E84 Class 2 or B (Adhered), ASTM E84 Class 2 or B (un-adhered)

Light fastness: 4 (AATCC-16) 5 (EN ISO 105 - B02)

Colour fastness: 3/4 (Wet/Dry) (AATCC-8)

Rubbing fastness: Wet: 4, Dry: 4 (EN ISO 105 - X12)


Environmental facts: Non metallic dyestuffs, ISO 14001 certified company

Design: Camira Design Studio

Produced in: United Kingdom

Cleaning & disinfection: Washable to 60 °C and bleach cleanable (For further info follow Camira´s cleaning guidelines – www.camirafabrics.com)


Only for giroflex 64-3578-QUI (Available on Demand as long as stock lasts)




QSH17




QSH35



QSH62



QSH69



QSH84

SOFTTOUCH

Softtouch is a self-supportive semi-translucent mesh fabric with a comfortable feel.

Composition: 76% polyester, 23% polyamide, 1% stainless steel

Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: EN 1021 1

Light fastness: 5-7 (EN ISO 105 - B02)


Rubbing fastness: 5/4 (Wet/Dry) (EN ISO 105X12)

Environmental facts: ISO 14001 certified company

Designed by: Krall & Roth design team

Produced in: Germany

Mesh fabric – only for backrest giroflex 68



N460

KNIT MESH

Knit161 is a self-supporting mesh, uniquely designed to conform to the backrest of the giroflex 161 visitor chair. The knit has a soft touch with a comfortable airy feel which offers comfort and support to the user. It's solid open structure has a repetitive organically shaped pattern with a visual depth in its texture.

Composition: 100% polyester

Abrasion resistance: 28 000 Martindale (EN ISO 12947-2)

Flammability: BS EN 1021 1&2 (Cigarette & Match), BS7176: 2007 low hazard

Light fastness: 6 (EN ISO 105 - B02)

Pilling: 4-5 (BS EN ISO 12945-2)


Environmental facts: EU Ecolabel, Oeko-Tex® Standard 100, 100% free of heavy metals

Design: Camira Technical Knitting team & Flokk Design team

Produced in: United Kingdom

Cleaning & disinfection: Bleach cleanable (For further info follow Camira's cleaning guidelines – www.camirafabrics.com)

Mesh only for giroflex 161-6403 and giroflex 161-6403-KNI



KNI099

KNI100

KNI101

KNI102

KNI104

NET – TRICOT

Net - Tricot is a shapeknitted self-supporting polyester fabric specially designed for the giroflex 434 mesh back models.

Composition: 100% polyester flame retardant (Trevira CS)


Abrasion resistance: 40 000 Martindale (EN ISO 12947-2)

Flammability: DIN 4102 B1, EN 1021 1&2, NF P 92501-7/M1

Light fastness: 4-5 (EN ISO 105 - B02)

Rubbing fastness: 4/4 (Wet/Dry) (EN ISO 105X12)

Mesh only for giroflex 434



N470

N471

N472

N473

N474

N475

N476

N477

* OD - Price on demand

Extended Fabric & Colour Collection

In addition to our Standard Fabric & Colour Collection we also offer an expanded selection of textiles in different colours from different textile suppliers who we work with.

NOTE! Some fabrics in our Collections may not be approved for all Giroflex chairs, please contact our Customer Service for more information.

Supplier/Collection	Price group
Camira Fabrics - www.camirafabrics.com	
Blazer	3
Mainline Flax	3
Oceanic*	3
Quest	3
RePlay	3
Xtreme*	3
Climatex/Jab - www.climatex.jab.de	
Grano*	3
Strong* ²⁾	3
Elmo - www.elmoleather.com	
Elmosoft* ¹⁾	OR
Gabriel - www.gabriel.dk	
Capture*	3
Cura*	3
Comfort+	5
Focus	3
Focus Melange	3
Focus Royal	3
Gaja Classic*	3
Lense	3
Renewed Loop	3
Runner*	2
Select*	2
Step (Trevira CS)*	3
Step Melange (Trevira CS)*	3
Synergy	3
Tonal	3

COM (Customer's Own Material)

Delivery time is more than 20 working days from factory and confirmation of order, transport in addition. Extra time for testing and approval of fabrics may also occur. Price group 3.

Special

Other fabrics. Prices and delivery on request.

Supplier/Collection	Price group
Kvadrat - www.kvadrat.dk	
Canvas 2	4
Naveli	4
Remix 3	3
Steelcut 3*	4
Steelcut Quartet	4
Steelcut Trio 3*	4
Vidar 4	6
Ludvig Svensson - www.ludvigsvensson.com	
Semi	3
Skai - www.skai.com	
Skai Palma*	2
Wollsdorf - www.wollsdorf.com	
Paloma - Leather*	OR

* Non standard colours

OR = on request

1) = Not for LAB/24H/cashier

2) = Only for giroflex 60 and 64 -24h chairs



Flokk is the leading manufacturer of high-quality workplace furniture in Europe, with a strong foothold in North America, developing a growing family of global brands. We are the proud owner of product brands HÅG, Offecct, Giroflex, RH, Profim, Stylex, 9to5 Seating, Via Seating, Connection and Malmstolen.

Our head office is in Oslo, Norway, with main production sites in Røros (Norway), Nässjö (Sweden), Turek (Poland), Huddersfield (UK), Reno NV (USA), Delanco NJ (USA) and Hawthorne CA (USA). In addition, we keep sales offices in Norway, Sweden, Denmark, Germany, Belgium, the Netherlands, UK, France, Switzerland, Singapore, USA, Canada, China and Australia. Flokk products are sold in more than 80 countries worldwide. About 1950 employees work together to realise the vision of Flokk: Inspire great work.

Flokk A/S
Sorgenfrivej 18
DK - 2800 Kongens Lyngby

Phone: +45 99 50 55 00
E-mail: info-dk@flokk.com
www.flokk.com